



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005602527

Filing Deadline: January 15, 2013

FRN: 0004371316

Filing Date: 01/14/2013 01:38 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Tularosa Communications, Inc.

Brand Names: TCI Cellular

PO Box: 550

Street Address: 503 St. Francis Drive

City: Tularosa

State: NM

Zip Code: 88352

Contact Name: Mary Beth Cicala

Contact Phone: (575) 585-0124

Contact Fax: (575) 585-8208

Contact Email: mbc@tbtc.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: tbtc.net

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Radio advertisements and customer newsletters are the primary resources used to market our cellular services.

Methodology for Functionality Levels

Part of the handset purchases are based on their having a sound level of functionality.

Report Remarks

Cellular service is not a large revenue gaining product for this company. It is difficult to keep a large stock of handset inventory due to the low level of activity for this product. In many instances, a handset is purchased based on the customer's request for a make and model.

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	1	100%						1
CDMA	14	88%	2	13%				16
WCDMA	1	100%						1

Handset 1: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 2: Kyocera S2100 Luno

Handset Maker

Kyocera

Handset Model Name

S2100 Luno

FCC ID

OVF-K5501, OVF-K5502

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 3: Kyocera S2410

Handset Maker

Kyocera

Handset Model Name

S2410

FCC ID

OVF-K33BI04

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 01/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mostly compatible

Remarks

Handset 4: LG LG3280

Handset Maker

LG

Handset Model Name

LG3280

FCC ID

BEJVB3300

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mostly compatible

Remarks

Handset 5: Motorola Droid X2**Handset Maker**

Motorola

Handset Model Name**FCC ID**

Droid X2

IHDT56MJ1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 6: Motorola DROID 3

Handset Maker

Motorola

Handset Model Name

DROID 3

FCC ID

IHDT56NG1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 06/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

mostly tele-coil compatible

Remarks

Handset 7: Motorola v265

Handset Maker

Motorola

Handset Model Name

v265

FCC ID

IHDT56ET1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mostly compatible

Remarks

Handset 8: Motorola V3c

Handset Maker

Motorola

Handset Model Name

V3c

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mostly compatible

Remarks

Handset 9: Motorola VE20

Handset Maker

Motorola

Handset Model Name

VE20

FCC ID

IHDT56JM1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 10: Motorola W385

Handset Maker

Motorola

Handset Model Name

W385

FCC ID

IHDT56HC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 11: Samsung SCH-R261**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R261

A3LSCHR260, A3LSCHR261, A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 12: Samsung SCH-U320

Handset Maker

Samsung

Handset Model Name

SCH-U320

FCC ID

A3LSCHU320

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 02/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 13: Samsung U340

Handset Maker

Samsung

Handset Model Name

U340

FCC ID

A3LSCHU340

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 14: UT Starcom 8630 COUPE**Handset Maker**

UT Starcom

Handset Model Name**FCC ID**

8630 COUPE

PP4EZ2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil compatible

Remarks

Handset 15: UT Starcom UTStarcom 7076

Handset Maker

UT Starcom

Handset Model Name

UTStarcom 7076

FCC ID

O6Y-CDM7076

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

very tele-coil capable

Remarks

Handset 16: Motorola WX445 CITRUS

Handset Maker

Motorola

Handset Model Name

WX445 CITRUS

FCC ID

IHDP56LF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

not described on specification detail

Remarks

Certification

This Report has been certified by:

Lance A Tade Mr. Vice President/General Manager
01/14/2013 01:38 PM